


# Switches


**CTI Toggles** 

### CTI Toggle Switches









CTI Part # 32-T-940153-01 DPDT - mom (3-Postion) (0n)-Off-(0n)


**Technical Data** 

Cycles: 50,000 Current Rating: 6 amps@125 vAC, 30vDC Current Rating: 3 amps@250 vAC Temperature Range: -40°C to +85° @ Rated Current









CTI Part # 32-T-940161-01 DPDT - mt (2-Postion)

On-Off-On


**Technical Data** 

Current Rating: 6 amps@125 vAC, 30vDC Current Rating: 3 amps@250 vAC Temperature Range: 40°C to +85° @ Rated Current














CTI Part # 32-T-940171-01 DPDT - mt (3-Postion) \_\_\_ On-Off-On

Technical Data

## www.cyber-tech.net

1-800-621-8754

Cycles: 50,000 Current Rating: 6 amps@125 vAC, 30vDC Current Rating: 3 amps@250 vAC Temperature Range: 40°C to +85° @ Rated Current

"a commitment to intergrated engineering & design"

Document Date: 06-01-2005




# Switches


CTI Switches

### CTI Toggle Switches















CTI Part # 32-T-940152-01 SPDT - mom (3-Postion)

(On)-Off-(On)


**Technical Data** 

Cycles: 50,000 Current Rating: 6 amps@125 vAC, 30vDC Current Rating: 3 amps@250 vAC Temperature Range: 40°C to +85° @ Rated Current






#### Circuit Diagram



#### **Panel Cutout Dimensions**




CTI Part # 32-T-940160-01 SPDT - mt (2-Postion)


**Technical Data** 

Cycles: 50,000 Current Rating: 6 amps@125 vAC, 30vDC Current Rating: 3 amps@250 vAC






#### Circuit Diagram



**Panel Cutout Dimensions** 



CTI Part # 32-T-940170-01 SPDT - mt (3-Postion) (0n)-Off-(0n)

**Technical Data** 

## www.cyber-tech.net

1-800-621-8754

Cycles: 50,000 Current Rating: 6 amps@125 vAC, 30vDC Current Rating: 3 amps@250 vAC Temperature Range: 40°C to +85° @ Rated Current

"a commitment to intergrated engineering & design"



Document Date: 06-01-2005

## Switches Accessories

### CTI Toggles



